Attack

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		250 gal. minimum tank size (indicate size)
	5- Illuminating Warning Devices (Flares or Strobes)		Minimum 250 gpm pump (indicate size)
	1- First Aid Kit		
	2- Wheel Chocks		
	2- Portable Handlights		
	Minimum of 2 SCBA w/ PASS		
	Spare SCBA Cylinder for each pack		
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		
Hose/Nozzles/Appliances		**Support Equipment/Hand Tools**	
	15' Soft Sleeve		1- ABC Extinguisher (min. 10 lb.)
	1- Rubber Mallet		1- 2.5 gal. PW Can
	1- Double Male - 2.5"		1- 8' Pike Pole
	1- Double Female - 2.5"		1- 6' Pike Pole or Plaster Hook
	2- Hydrant Wrench		1- 6 lb. Flathead Axe
	4- Spanner Wrenches		1- Halligan Bar
	2- 2.5" NST to 3" Stortz Adaptors		1- Chain Saw (tree)
	1- Draft Capable Straining Device		
	300' Supply Hose min. 3" (indicate amount and size)		
	200' Attack Hose		
	1- 95 gpm Nozzle		
	20' Hard Suction		
		Communications	
			1- Mobile Radio
			Minimum 2 Portable Radio or assigned per person
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Boat

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- PFD per passenger plus 2 adult & 2 child PFD's		3 person minimum capacity
	(PA Fish & Boat Certified)		9 hp minimum motor
	1- Water Rescue Helmet per passenger plus 2 extra		
	2- Portable Handlights		
	2- Paddles		
	1- Anchor		
		Support Equipment/Hand Tools	
			4- Throw bags or throwing devices
			1- Grab Hook
			1- Life Ring
			1- Buoy
		Communications	
			Minimum 1 Portable Radio or assigned per person
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Brush

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		100 gal. minimum tank size (indicate size)
	5- Illuminating Warning Devices (Flares or Strobes)		Minimum 100 gpm pump (indicate size)
	1- First Aid Kit		Four Wheel Drive
	2- Wheel Chocks		
	2- Portable Handlights		
Hose/Nozzles/Appliances		**Support Equipment/Hand Tools**	
	15' Soft Sleeve		1- ABC Extinguisher (min. 10 lb.)
	1- Rubber Mallet		1- 2.5 gal. PW Can
	1- Double Male - 2.5"		2- Portable Water Tanks with Hand Pump
	1- Double Female - 2.5"		2- Fire Rakes or equivalent
	300' of 1" Forestry Line (min)		2- Pulaski Axes
	2- Spanner Wrenches		1- Spade Shovel
			1- Chain Saw (tree)
		Communications	
			1- Mobile Radio
			Minimum 2 Portable Radio or assigned per person
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Crash

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		1000 gal. minimum tank size (indicate size)
	5- Illuminating Warning Devices (Flares or Strobes)		Minimum 950 gpm pump @200 psi (indicate size)
	1- First Aid Kit		Min. 130 gal. foam tank w/ 3% - 6% proportioning (indicate size)
	2- Wheel Chocks		500 lb. Dry Chemical or Purple K System
	4- Portable Handlights		
	Minimum of 4 SCBA w/ PASS		
	Spare SCBA Cylinder for each pack		
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		
Hose/Nozzles/Appliances		**Support Equipment/Hand Tools**	
	15' Soft Sleeve		1- ABC Extinguisher (min. 10 lb.)
	1- Rubber Mallet		1- 2.5 gal. PW Can
	1- Double Male - 2.5"		1- CO2 Extinguisher (recommended)
	1- Double Female - 2.5"		1- 8' Pike Pole
	2- Hydrant Wrench		1- 6' Pike Pole or Plaster Hook
	4- Spanner Wrenches		1- 6 lb. Flathead Axe
	2- 2.5" NST to 3" Stortz Adaptors		1- Halligan Bar
	1- 500 gpm Roof Turret		
	1- 250 gpm Bumper Turret		
	100' Attack Hose		
	1- PIV Valve		
		Communications	
			1- Mobile Radio
			Minimum 4 Portable Radio or assigned per person
		Ladders	
			1- 6" A-Frame Ladder
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Engine

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		500 gal. minimum tank size (indicate size)
	5- Illuminating Warning Devices (Flares or Strobes)		Minimum 1000 gpm pump (indicate size)
	1- First Aid Kit		
	2- Wheel Chocks		
	4- Portable Handlights		
	Minimum of 4 SCBA w/ PASS		
	Spare SCBA Cylinder for each pack		
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		
Hose/Nozzles/Appliances		**Support Equipment/Hand Tools**	
	15' Soft Sleeve		1- ABC Extinguisher (min. 10 lb.)
	1- Rubber Mallet		1- 2.5 gal. PW Can
	1- Double Male - 2.5"		1- CO2 Extinguisher (recommended)
	1- Double Female - 2.5"		1- 8' Pike Pole
	2- Hydrant Wrench		1- 6' Pike Pole or Plaster Hook
	4- Spanner Wrenches		1- 6 lb. Flathead Axe
	2- 2.5" NST to 3" Stortz Adaptors		1- Halligan Bar
	1- Draft Capable Straining Device		1- Chain Saw (tree)
	800' LDH Supply Hose (indicate amount and size)		1- TIC
	400' Attack Hose		
	200' 2.5 in. Hose		
	500 gpm (min) portable or fixed master stream		
	20' Hard Suction		
	1- Intake Valve		
	2- 95 gpm Nozzles		
	1- 200 gpm Nozzle	**Communications**	
			1- Mobile Radio
			Minimum 4 Portable Radio or assigned per person
		Ladders/Rope	
			1- 10' Folding Attic Ladder
			1- 24' Extension Ladder
			1- 12' Roof Ladder
			Ground Ladder Certification - NFPA 1931

EQUIPMENT SHALL BE PROPERLY MOUNTED

Wagon

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		500 gal. minimum tank size (indicate size)
	5- Illuminating Warning Devices (Flares or Strobes)		Minimum 1500 gpm pump (indicate size)
	1- First Aid Kit		
	2- Wheel Chocks		
	4- Portable Handlights		
	Minimum of 4 SCBA w/ PASS		
	Spare SCBA Cylinder for each pack		
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		
Hose/Nozzles/Appliances		**Support Equipment/Hand Tools**	
	15' Soft Sleeve		1- ABC Extinguisher (min. 10 lb.)
	1- Rubber Mallet		1- 2.5 gal. PW Can
	1- Double Male - 2.5"		1- CO2 Extinguisher (recommended)
	1- Double Female - 2.5"		1- 8' Pike Pole
	2- Hydrant Wrench		1- 6' Pike Pole or Plaster Hook
	4- Spanner Wrenches		1- 6 lb. Flathead Axe
	2- 2.5" NST to 3" Stortz Adaptors		1- Halligan Bar
	1- Draft Capable Straining Device		1- Chain Saw (tree)
	1600' LDH Supply Hose (indicate amount and size)		1- TIC
	400' Attack Hose		
	200' 2.5 in. Hose		
	500 gpm (min) portable or fixed master stream		
	30' Hard Suction		
	1- Intake Valve		
	2- 95 gpm Nozzles		
	1- 200 gpm Nozzle	**Communications**	
			1- Mobile Radio
			Minimum 4 Portable Radio or assigned per person
		Ladders/Rope	
			1- 10' Folding Attic Ladder
			1- 24' Extension Ladder
			1- 12' Roof Ladder
			Ground Ladder Certification - NFPA 1931

EQUIPMENT SHALL BE PROPERLY MOUNTED

PT

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		1800 gal. minimum tank size (indicate size)
	5- Illuminating Warning Devices (Flares or Strobes)		1- Porta Tank equal or greater than tank size (indicate size) optional
	1- First Aid Kit		Direct Tank Fill with 3" Stortz Coupling - 2 minimum
	2- Wheel Chocks		Rear Dump (min. 10")
	4- Portable Handlights		Side Dumps (Highly Recommended)
	Minimum of 4 SCBA w/ PASS		Minimum 1000 gpm pump (indicate size)
	Spare SCBA Cylinder for each pack		
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		
Hose/Nozzles/Appliances		**Support Equipment/Hand Tools**	
	15' Soft Sleeve		1- ABC Extinguisher (min. 10 lb.)
	1- Rubber Mallet		1- 2.5 gal. PW Can
	1- Double Male - 2.5"		1- CO2 Extinguisher (recommended)
	1- Double Female - 2.5"		1- 8' Pike Pole
	2- Hydrant Wrench		1- 6' Pike Pole or Plaster Hook
	4- Spanner Wrenches		1- 6 lb. Flathead Axe
	2- 2.5" NST to 3" Stortz Adaptors		1- Halligan Bar
	1- Draft Capable Straining Device		1- Chain Saw (tree)
	800' LDH Supply Hose (indicate amount and size)		1- TIC
	400' Attack Hose		
	500 gpm (min) portable or fixed master stream		
	20' Hard Suction		
	1- Intake Valve		
		Communications	
	2- 95 gpm Nozzles		1- Mobile Radio
	1- 200 gpm Nozzle		Minimum 4 Portable Radio or assigned per person
		Ladders/Rope	
			1- 10' Folding Attic Ladder
			1- 24' Extension Ladder
			1- 12' Roof Ladder
			Ground Ladder Certification - NFPA 1931

EQUIPMENT SHALL BE PROPERLY MOUNTED

Tanker

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		1800 gal. minimum tank size (indicate size)
	5- Illuminating Warning Devices (Flares or Strobes)		1- Porta Tank - min. 2000 gal. (indicate size)
	1- First Aid Kit		Direct Tank Fill with 3" Stortz Coupling - 2 minimum
	2- Wheel Chocks		Rear Dump (min. 10" or pressure assist dump)
	2- Portable Handlights		Side Dumps (Highly Recommended)
Hose/Nozzles/Appliances		**Support Equipment/Hand Tools**	
	15' Soft Sleeve		1- ABC Extinguisher (min. 10 lb.)
	1- Rubber Mallet		1- 2.5 gal. PW Can
	1- Double Male - 2.5"		
	1- Double Female - 2.5"		
	1- Hydrant Wrench		
	2- Spanner Wrenches		
	2- 2.5" NST to 3" Stortz Adaptors		
	1- Low Level Strainer or Siphone Device		
		Communications	
			1- Mobile Radio
			1- Portable Radio or assigned per person
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Squad

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Support Equipment/Hand Tools**	
	1- Traffic Vest per riding position or assigned per person		2- Hacksaws with 3 spare blades each
	5- Illuminating Warning Devices (Flares or Strobes)		1- Binoculars
	1- First Aid Kit		1- 8 lb. Sledge Hammer
	2- Wheel Chocks		6- Salvage Covers 8x8 min.
	2- Portable Handlights		1- 36" Bolt Cutter (general purpose)
	Minimum of 4 SCBA w/ PASS		1- 50" Pry Bar
	Spare SCBA Cylinder for each pack		1- 16 oz Claw Hammer
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		1- Glass Cutting Tools
	1- AED		1- 16 oz Rubber/Plastic Mallet
			2- Center Punches (manual or spring loaded)
			Assorted Pliers
			Assorted Screw Drivers
			Assorted Adjustable Wrenches
			Assorted Standard, Metric, & Hex Wrench Sets
Ventilation			Other assorted tools (utility knife,tape measure,metal snips, etc.)
	1- PPV Fan		1- Multi Gas Meter (3 gas minumum)
	1- Negative Pressure Fan		1- ABC Extinguishers (min. 10 lb.)
			1- 2.5 gal. PW Can
			1- Halligan Bar
			1- 6' Pike Pole or Hook
			1- Spade Shovel
			1- Flat Shovel
			2- Push Brooms
Cascade			1- 6 lb. Flathead Axe
	6 Cylinder System		1- Pick Head Axe
Communications		**Ladders**	
	1- Mobile Radio		1- Little Giant (or similar type ladder)
	Minimum 2 Portable Radios or assigned per person		Ground Ladder Certification - NFPA 1931
	1- Public Address System		
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Unit Designation:		**Inspection Date:**	
Power Tools		**Cribbing/Stabilization**	
	1- Reciprocating Saw w/ wood & metal blades		2- Rescue Struts w/ straps (mix of long and short)
	1- Air chisel w/ 2 sheet metal & 2 steel bits		1- Pair Step Cribbing
	1- Chain Saw w/ 16" bar and spare chain		Assortment of various size wedges
			2- 2"x20' Ratchet straps 1000 lb rating
			Assortment of wood or composite cribbing
		Lighting/Electric	
			1- Generator 5000 Watt Minimum
			4- Fixed Light Heads (may be on a light tower)
			2- Portable Light Heads
			1- 100'- 10 ga. extention cord with ground
			1- Junction box w/ 20 amp household capability
Haz-Mat			Misc. Electrical Adapters
	25 lbs. of floor dry		
	Small catch bucket for fluid leaks		
	Assorted booms & pads		
	1- Plug kit		
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Rescue Engine

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		500 gal. minimum tank size (indicate size)
	5- Illuminating Warning Devices (Flares or Strobes)		Minimum 1000 gpm pump (indicate size)
	1- First Aid Kit		
	2- Wheel Chocks		
	4- Portable Handlights		
	Minimum of 4 SCBA w/ PASS		
	Spare SCBA Cylinder for each pack		
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		
		Support Equipment/Hand Tools	
			1- TIC
Hose/Nozzles/Appliances			1- Multi Gas Meter (3 gas minumum)
	15' Soft Sleeve		1- ABC Extinguisher (min. 10 lb.)
	1- Rubber Mallet		1- 2.5 gal. PW Can
	1- Double Male - 2.5"		1- CO2 Extinguisher (recommended)
	1- Double Female - 2.5"		1- 8' Pike Pole
	2- Hydrant Wrench		2- 6' Pike Poles or Plaster Hook
	4- Spanner Wrenches		1- 8 lb. Sledge Hammer
	2- 2.5" NST to 3" Stortz Adaptors		2- Halligan Bars
	1- Draft Capable Straining Device		2- 6 lb. Flathead Axes
	800' LDH Supply Hose (indicate amount and size)		1- Pick Head Axe
	400' Attack Hose		2- Brooms with Handles
	200' 2.5 in. Hose		1- Flat Shovel
	500 gpm (min) portable or fixed master stream		1- Spade Shovel
	20' Hard Suction		1- Tool Kit with Sockets, Wrenches, Screw Drivers, etc.
	1- Intake Valve		1- Small Crow Bar
			1- Large Crow Bar
			1- Battery Kit for MVA's
	2- 95 gpm Nozzles		
	1- 200 gpm Nozzle		
		Communications	
			1- Mobile Radio
			Minimum 4 Portable Radio or assigned per person
		Ladders	
			1- 10' Folding Attic Ladder
			1- 24' Extension Ladder
			1- 12' Roof Ladder
			1- Little Giant (or similar type ladder)
			Ground Ladder Certification - NFPA 1931

EQUIPMENT SHALL BE PROPERLY MOUNTED

Unit Designation:		**Inspection Date:**	
Hand Tools			
Cutting Tools		**Cribbing/Stabilization**	
	1- Reciprocating Saw w/ wood & metal blades		2- Rescue Struts
	1- Air chisel w/ assorted bits		2- Pair Step Cribbing
	1- Rotary Saw w/ wood, concrete, & metal blades		Assortment of various size cribbing and wedges
	1- Chain Saw (tree)		2- Ratchet straps
			1- Set of metal J hooks
			1- 10' grade 8 chain
			1- Chain shortener (same rating as chain)
			1- 1 1/2 ton hand winch
Hydaulic Systems			
	1- Cutter		
	1- Spreader		
	(a combination tool may replace a cutter & spreader)		
	1- Power Unit		
		Lighting/Electric	
			1- Generator 5,000 Watt Minimum
			4- Fixed Light Heads (may be on a light tower)
			2- Portable Light Heads
			100'- 10 ga. extention cord
			1- Junction box w/ 20 amp household capability
Haz-Mat			
	20 lbs. of floor dry		
	Small catch bucket for fluid leaks		
	Assorted booms & pads		
	1- Plug kit		
		Rope	
			Assorted carabiners, pulleys, Prusik cord, webbing, to
			support a low angle haul system w/ mechanical advantage
			2- MPD's or equivalent w/ raise & lower capabilities
			2- 200' Life Safety Rope
			1- Basket Stretcher able to hold a back board

EQUIPMENT SHALL BE PROPERLY MOUNTED

Rescue

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Support Equipment/Hand Tools**	
	1- Traffic Vest per riding position or assigned per person		2- Hacksaws with 3 spare blades each
	5- Illuminating Warning Devices (Flares or Strobes)		1- Binoculars
	1- First Aid Kit		4- Assorted Blankets (wool, aluminized,kevlar/nomex)
	Spare SCBA Cylinder for each pack		2- Salvage Covers 8x8 min.
	2- Portable Handlights		1- 36" Bolt Cutter (general purpose)
	Minimum of 2 SCBA w/ PASS		1- 24" Wire/Cable Cutter (non-insulated)
	Spare SCBA Cylinder for each pack		1- 16 oz Claw Hammer
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		1- 3 lb. Short Handle Drilling Hammer
	1- AED		1- 16 oz Rubber/Plastic Mallet
			2- Center Punches (manual or spring loaded)
			Assorted Pliers
			Assorted Screw Drivers
Rope/Water Rescue			Assorted Adjustable Wrenches
	Assorted carabiners, pulleys, Prusik cord, webbing, to		Assorted Standard, Metric, & Hex Wrench Sets
	support a low angle haul system w/ mechanical advantage		Other assorted tools (utility knife,tape measure,metal snips, etc.)
	2- MPD's or equivalent w/ raise & lower capabilities		1- Multi Gas Meter (3 gas minumum)
	2- 200' Life Safety Rope		2- ABC Extinguishers (min. 10 lb.) or 1 - 20 lb.
	2- 150' Utility Rope		1- 2.5 gal. PW Can
	2- 50' Water Rescue Throw Bags		1- Glass Cutting Tools
	1- Basket Stretcher able to hold a back board		1- 8' Pike Poles
	2- Water Rescue Helmets		1- 12 ton Hydraulic Bottle Jack
	2- PFD Type III (USCG Approved)		1- 8 lb. Sledge Hammer
			1- Halligan Bar
			1- 6 lb. Flathead Axe
			1- Pick Head Axe
			2- Push Brooms
			1- Flat Shovel
			1- Spade Shovel
			1- 10 ton Porta Power with Duck Bill
			1- 24" Wrecking Bar
			1- 50" Pry Bar
Communications		**Ladders**	
	1- Mobile Radio		1- Little Giant (or similar type ladder)
	Minimum 2 Portable Radios or assigned per person		Ground Ladder Certification - NFPA 1931
	1- Public Address System		
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Unit Designation:		**Inspection Date:**	
Power Tools		**Cribbing/Stabilization**	
	1- Reciprocating Saw w/ wood & metal blades		2- Rescue Struts w/ straps (mix of long and short)
	1- Air chisel w/ 2 sheet metal & 2 steel bits		2- Pair Step Cribbing
	1- Vehicle mounted or pinnable 8000 lb powered winch		Assortment of various size wedges
	1- Chain Saw w/ 16" bar and spare chain		2- 2"x20' Ratchet straps 1000 lb rating
			1- Set of metal J hooks
			2-10' grade 8 or 80, 6000 lb, 3/8" chain w/ grab hooks on both ends
			2- Chain shorteners (same rating as chain)
			1- 1 1/2 ton hand winch
			20- 4"x4"x18"wood or composite cribbing
Hydaulic Systems			12- 2"x4"x18" wood or composite cribbing
	1- Cutter		
	1- 24" Spreaders		
	(a combination tool may replace a cutter & spreader)		
	1- Power Unit		
		Lighting/Electric	
			1- Generator 5000 Watt Minimum
			4- Fixed Light Heads (may be on a light tower)
			2- Portable Light Heads
			1- 100'- 10 ga. extention cord with ground
			1- Junction box w/ 20 amp household capability
Haz-Mat			Misc. Electrical Adapters
	25 lbs. of floor dry		
	Small catch bucket for fluid leaks		
	Assorted booms & pads		
	1- Plug kit		
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Heavy Rescue

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Support Equipment/Hand Tools**	
	1- Traffic Vest per riding position or assigned per person		2- Hacksaws with 3 spare blades each
	5- Illuminating Warning Devices (Flares or Strobes)		1- Binoculars
	1- First Aid Kit		4- Assorted Blankets (wool, aluminized,kevlar/nomex)
	2- Wheel Chocks		6- Salvage Covers 8x8 min.
	6- Portable Handlights		1- 36" Bolt Cutter (general purpose)
	Minimum of 4 SCBA w/ PASS		1- 24" Wire/Cable Cutter (non-insulated)
	Spare SCBA Cylinder for each pack		1- 16 oz Claw Hammer
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		2- 3 lb. Short Handle Drilling Hammers
	1- AED		1- 16 oz Rubber/Plastic Mallet
			2- Center Punches (manual or spring loaded)
			Assorted Pliers
			Assorted Screw Drivers
Rope/Water Rescue			Assorted Adjustable Wrenches
	Assorted carabiners, pulleys, Prusik cord, webbing, to		Assorted Standard, Metric, & Hex Wrench Sets
	support a low angle haul system w/ mechanical advantage		Other assorted tools (utility knife,tape measure,metal snips, etc.)
	2- MPD's or equivalent w/ raise & lower capabilities		1- Multi Gas Meter (3 gas minumum)
	2- 200' Life Safety Rope		2- ABC Extinguishers (min. 10 lb.) or 1 - 20 lb.
	2- 150' Utility Rope		1- 2.5 gal. PW Can
	4- 50' Water Rescue Throw Bags		2- Glass Cutting Tools
	1- Basket Stretcher able to hold a back board		2- 8' Pike Poles
	4- Water Rescue Helmets		4- Jack Plates 12"x12" min.
	4- PFD Type III (USCG Approved)		2- 8 lb. Sledge Hammer
			2- Halligan Bars
			2- 6 lb. Flathead Axes
			2- Pick Head Axes
			2- Push Brooms
			2- Flat Shovels
			2- Spade Shovels
			6- Steel Pickets 1"x36"
			1- 24" Wrecking Bar
			1- 50" Pry Bar
			1- Impact Wrench with Sockets
			1- 12 ton Hydraulic Bottle Jack
			1- 20 ton Hydraulic Bottle Jack
			1- 10 ton Porta Power or Hoseless Hydraulic Tool
Communications		**Ladders**	
	1- Mobile Radio		1- 10' Folding Attic Ladder
	Minimum 4 Portable Radios or assigned per person		1- Little Giant (or similar type ladder)
	1- Public Address System		Ground Ladder Certification - NFPA 1931

EQUIPMENT SHALL BE PROPERLY MOUNTED

Unit Designation:		**Inspection Date:**	
Power Tools		**Cribbing/Stabilization**	
	2- Reciprocating Saw w/ wood & metal blades		8- Rescue Struts w/ straps (mix of long and short)
	2- Air chisels w/ 2 sheet metal & 2 steel bits		4- Pair Step Cribbing
	1- Rotary Saw w/ wood, concrete, & metal blades		Assortment of various size wedges
	2- Chain Saws w/ 16" bars and spare chains		4- 2"x20' Ratchet straps 1000 lb rating
	1- Vehicle mounted or pinnable 8000 lb powered winch		1- Set of metal J hooks
	4- High pressure air bags w/ 76 ton capacity		4-10' grade 8 or 80, 6000 lb, 3/8" chain w/ grab hooks on both ends
			4- Chain shorteners (same rating as chain)
			1- 1 1/2 ton hand winch
			1- 3 ton hand winch
Hydaulic Systems			18- 2"x4"x18" wood or composite cribbing
	2- Cutters		30- 4"x4"x18"wood or composite cribbing
	2- 24" Spreaders		6- 4"x4"x36" wood or composite cribbing
	(a combination tool may replace a cutter & spreader)		
	1- Power Unit		
	1- Backup Power Unit		
	3 tool simultaneous operation		
	1- 12"-24" Ram		
	1- 20"-35" Ram		
	1- 30" or greater Ram	**Lighting/Electric**	
			1- Generator 7500 Watt Minimum
			4- Fixed Light Heads (may be on a light tower)
			2- Portable Light Heads
			2- 100'- 10 ga. extention cord with ground
			2- Junction boxes w/ 20 amp household capability
Haz-Mat			Misc. Electrical Adapters
	25 lbs. of floor dry		
	Small catch bucket for fluid leaks		
	Assorted booms & pads		
	1- Plug kit		

EQUIPMENT SHALL BE PROPERLY MOUNTED

Tower

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		Aerial Device Minimum 70' - Note Length:_____ft
	5- Illuminating Warning Devices (Flares or Strobes)		Aerial Ladder Certification -NFPA 1914
	1- First Aid Kit		1,000 gpm (min) Aerial Master Stream
	2- Wheel Chocks		
	4- Portable Handlights		
	Minimum of 4 SCBA w/ PASS		
	Spare SCBA Cylinder for each pack		
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		Note Pump Size if Equiped:_____gpm
	2- Ladder Belts - NFPA 1983		Note Tank Size if Equiped: _____gal
	1- Thermal Imaging Camera		
	1- Multi Gas Meter (3 gas minumum)		
Large Hand Tools/Forcible Entry		**Support Equipment/Hand Tools**	
	2- Sets of Irons		1- ABC Extinguisher (min. 10 lb.)
	1- Rabbit tool or Equivalent		2- 2.5 gal. PW Can
	2- 6 lb. Pickhead Axes		1- Lock Out Tag Out Kit
	4- Pike Poles or Multi Purpose Hooks (6',8',12' min.)		1- Set of Elevator Keys
	1- Sledge Hammer		1- Stokes Basket
	1- 24" Bolt Cutter		1- Roof Repair Kit
	1- K-Tool		1- Grain Shovel
			1- Spade Shovel
			1- Flat Shovel
			4- Salvage Tarps - Assorted Sizes
Ventilation			
	1- PPV Fan		
	1- Rescue Saw w/ Steel, Masonry, & Carbide Blades		
	1- Chain Vent Saw		
		Communications	
			1- Mobile Radio
			Minimum 4 Portable Radio or assigned per person
Lighting/Electric			
	1- Generator 5,000 Watt Minimum		
	3- Fixed Light Heads		
	2- Portable Light Heads	**Ladders - 115' Minimum**	
	1- Electric Cord Reel		1- 10' Folding Attic Ladder
			2- Extension Ladders
			2- Roof Ladders
			Ground Ladder Certification - NFPA 1931
EQUIPMENT SHALL BE PROPERLY MOUNTED			

Ladder

Unit Designation:		**Inspection Date:**	
Make/Model		**Year:**	
Apparatus Height:		**Apparatus Weight:**	
Personal Protection/Safety Equipment		**Unit Type Specifications**	
	1- Traffic Vest per riding position or assigned per person		Aerial Device Minimum 70' - Note Length:_____ft
	5- Illuminating Warning Devices (Flares or Strobes)		Aerial Ladder Certification -NFPA 1914
	1- First Aid Kit		1,000 gpm (min) Aerial Master Stream
	2- Wheel Chocks		
	4- Portable Handlights		
	Minimum of 4 SCBA w/ PASS		
	Spare SCBA Cylinder for each pack		
	Min. 5 Orange Fluorescent Traffic Cones min. 28" high		Note Pump Size if Equiped:_____gpm
	2- Ladder Belts - NFPA 1983		Note Tank Size if Equiped: _____gal
	1- Thermal Imaging Camera		
	1- Multi Gas Meter (3 gas minumum)		
Large Hand Tools/Forcible Entry		**Support Equipment/Hand Tools**	
	2- Sets of Irons		1- ABC Extinguisher (min. 10 lb.)
	1- Rabbit tool or Equivalent		2- 2.5 gal. PW Can
	2- 6 lb. Pickhead Axes		1- Lock Out Tag Out Kit
	4- Pike Poles or Multi Purpose Hooks (6',8',12' min.)		1- Set of Elevator Keys
	1- Sledge Hammer		1- Stokes Basket
	1- 24" Bolt Cutter		1- Roof Repair Kit
	1- K-Tool		1- Grain Shovel
			1- Spade Shovel
			1- Flat Shovel
			4- Salvage Tarps - Assorted Sizes
Ventilation			
	1- PPV Fan		
	1- Rescue Saw w/ Steel, Masonry, & Carbide Blades		
	1- Chain Vent Saw		
		Communications	
			1- Mobile Radio
			Minimum 4 Portable Radio or assigned per person
Lighting/Electric			
	1- Generator 5,000 Watt Minimum		
	3- Fixed Light Heads		
	2- Portable Light Heads	**Ladders - 115' Minimum**	
	1- Electric Cord Reel		1- 10' Folding Attic Ladder
			2- Extension Ladders
			2- Roof Ladders
			Ground Ladder Certification - NFPA 1931
EQUIPMENT SHALL BE PROPERLY MOUNTED			